

WEST YORKSHIRE SPINNERS



*Elizabeth*  
BRAIDCABLE JUMPER

ILLUSTRIOUS DESIGN BY EMMA WRIGHT



## General Info

It is essential to work to the stated tension to ensure success. You should always start by knitting a tension square before knitting the full garment.

If you have too many stitches to stated tension, your tension is too tight and you should change to a larger needle. If there are too few stitches, and your tension is too loose garment performance may be affected and you should change to a smaller needle. Please check individual patterns for tension before starting garment.

Instructions given are for the 1st size, with larger sizes in brackets. Where only one figure or instruction is given, this applies to all sizes. Work all directions inside brackets the number of times stated.



# Abbreviations

<b>K</b>	knit	<b>REP</b>	repeat
<b>P</b>	purl	<b>REV ST ST</b>	reverse stocking stitch: RS purl, WS knit
<b>ALT</b>	alternate	<b>RH</b>	right hand
<b>BEG</b>	begin/ning	<b>RND</b>	round
<b>CM</b>	centimetre	<b>RS/WS</b>	right side/wrong side
<b>CN</b>	cable needle	<b>SKPO</b>	slip one, knit one, pass the slipped stitch over (decrease 1)
<b>CONT</b>	continue	<b>SK2PO</b>	slip one, knit two together, pass slipped stitch over (decrease 2)
<b>DEC</b>	decrease	<b>SP2PO</b>	slip one purlwise, purl two together, pass slipped stitch over (decrease 2)
<b>DPNS</b>	double pointed needles	<b>SL1</b>	slip one stitch
<b>FOLL</b>	follows/following	<b>SL1P</b>	slip one stitch purlwise
<b>IN</b>	inch/es	<b>SM</b>	slip marker
<b>INC</b>	increase	<b>ST/S</b>	stitch/es
<b>KFB</b>	knit into front and back of next stitch (increase 1)	<b>ST ST</b>	stocking stitch
<b>K2TOG</b>	knit two stitches together (decrease 1)	<b>SSK</b>	slip next two stitches one at a time, knitwise to right hand needle, insert tip of left hand needle through both stitches and knit them together (decrease 1)
<b>LH</b>	left hand	<b>TOG</b>	together
<b>M1</b>	make 1 stitch: pick up the loop lying between the two stitches and knit into the back of it (increase 1)	<b>YB</b>	take yarn to back
<b>PATT</b>	pattern	<b>YF</b>	yarn forward
<b>P3TOG</b>	purl three stitches together (decrease 2)	<b>YO</b>	yarn over
<b>PM</b>	place marker		
<b>REM</b>	remain/ing		





*A reverse stocking stitch sweater using one braid cable as a feature, inspired by tree roots weaving through the ground on an English woodland walk. The reverse stocking stitch background with braid cable is paired with moss stitch sleeves and back for added texture and finished with a simple rib.*

# Elizabeth

## BRAID CABLE JUMPER



Moss stitch -  
back & sleeves

Crew neck

Set in sleeve  
(armhole)

Reverse stocking stitch  
background (front  
with cable)

Simple  
construction



## Measurements

<b>CHEST</b>	81(86:91: <b>96.5</b> :101.5: <b>106.5</b> :112: <b>117</b> )cm, (32[ <b>34</b> :36: <b>38</b> :40: <b>42</b> :44: <b>46</b> ]in)
<b>ACTUAL CHEST (APPROX)</b>	86(91:96.5: <b>101.5</b> :106.5: <b>112</b> :118: <b>124</b> )cm, (34[ <b>36</b> :38: <b>40</b> :42: <b>44</b> :46.5: <b>48.75</b> ]in)
<b>LENGTH</b>	52( <b>53</b> :55: <b>57</b> :60: <b>62</b> :65: <b>67.5</b> )cm, (20.5[ <b>21</b> :21.75: <b>22.5</b> :23.75: <b>24.5</b> :25.5: <b>26.5</b> ]in)
<b>SLEEVE SEAM</b>	43( <b>43</b> :45.5: <b>45.5</b> :48.5: <b>51</b> :51: <b>52</b> )cm, (17[ <b>17</b> :18: <b>18</b> :19: <b>20</b> :20: <b>20.5</b> ]in)

## Tension

21 sts x 30 rows to 10cm/4in over reverse stocking  
stitch using 4mm (US 6) knitting needles

21 sts x 36 rows to 10cm/4in over moss stitch using  
4mm (US 6) knitting needles

## Special Abbreviations

**C6B** slip next 3 sts onto a cable needle and hold at the  
back of the work, knit next 3 sts from left hand needle  
and then knit the 3 sts on cable needle

**C6F** slip next 3 sts onto a cable needle and hold at the  
front of the work, knit next 3 sts from left hand needle  
and then knit the 3 sts on cable needle

## Materials

### SHADE

331 Highland x 4(5:5:5:6:6:7:8) balls


### NEEDLES

4mm (US 6) knitting needles

### EXTRAS


2 x stitch holders

Cable needle




Colour  
Highland

# Schematic



# Braid Cable



Read all RS (odd) rows from R to L  
Read all WS (even) rows from L to R

□ K on RS, p on WS

• P on RS, k on WS

C6B

C6F

# Pattern

## BACK

Using 4mm (US 6) needles, cast on  
90(96:100:106:112:118:124:130)sts.

\*\* Work in rib as folls:

**Row 1 (RS):** (K1, p1) to end.

Rep last row 5 times more.

Now work Moss St as folls:

**Row 1 (RS):** (K1, p1) to end.

**Row 2 (WS):** (P1, k1) to end

This row forms Moss St and is repeated. \*\*

Cont in Moss St until work measures

34(35:36:38:40:42:44:45.5)cm, 13.25(13.5:14.25:15:15.75:16.5:17.5:18)in from cast-on edge and ending with a RS facing for next row.

## Shape armhole

Keeping Moss St pattern correct work armhole shaping as folls:

Cast off 8(8:8:8:9:9:10:10)sts at beg of next 2 rows.

74(80:84:90:94:100:104:110) sts

Cast off 2 sts at beg of next 2 rows.

70(76:80:86:90:96:100:106) sts

Dec 1 st at beg of next 4(6:8:10:10:12:12:14) rows.

66(70:72:76:80:84:88:92) sts

Cont in Moss St pattern working straight (without shaping) until armhole measures 18(18:19:19:20:20:21:22)cm,

7(7:7.5:7.5:8:8:8.25:8.75)in from beg of armhole shaping.

## Shape shoulders and back neck

With RS facing, cast off 14(16:17:18:20:22:24:25)sts at beg of next 2 rows.

Leave remaining 38(38:38:40:40:40:40:42)sts on a holder.

## FRONT

Using 4mm (US 6) needles, cast on

90(96:100:106:112:118:124:130) sts.

Work in rib as folls:

**Row 1 (RS):** (K1, p1) to end.

Rep this row 5 times more

Now work Braid Cable on Rev St St as folls:

**Row 1 (RS):** P66(70:73:77:79:83:88:93), k9, p15(17:18:20:24:26:27:28).

**Row 2 (WS):** K15(17:18:20:24:26:27:28), p9, k66(70:73:77:79:83:88:93).

**Row 3:** P66(70:73:77:79:83:88:93), C6B, k3, p15(17:18:20:24:26:27:28).

**Row 4:** As Row 2.

**Row 5:** As Row 1.

**Row 6:** As Row 2.

**Row 7:** P66(70:73:77:79:83:88:93), k3, C6F, p15(17:18:20:24:26:27:28).

**Row 8:** As Row 2.



These 8 rows form Cable and Rev St St pattern.  
Cont in pattern until work measures  
34(**35:36:38:40:42:44:45.5**)cm, 13.25(**13.5:14.25:15:15.75:16.5:17.5:18**)in from cast-on edge ending with **RS** facing for next row.

### Shape armhole

Keeping stitch pattern correct work armhole shaping as follows:

Cast off 8(**8:8:8:9:9:10:10**)sts at beg of next 2 rows.

74(**80:84:90:94:100:104:110**) sts

Cast off 2 sts at beg of next 2 rows.

70(**76:80:86:90:96:100:106**) sts

Dec 1 st at beg of next 4(**6:8:10:10:12:12:14**) rows.

66(**70:72:76:80:84:88:92**) sts

Keeping Braid Cable and Rev St St pattern correct, work straight (without shaping) until armhole measures  
15(**15:16:16:17:17:18:19**)cm, 6(**6:6.25:6.25:6.75:6.75:7:7.5**)in from beg of armhole shaping.

### Shape left front neck and shoulder

With **RS** facing work in pattern over next

25(**27:28:29:31:33:35:36**)sts, turn, leave the remaining

41(**43:44:47:49:51:53:56**)sts on a stitch holder. Working over these 25(**27:28:29:31:33:35:36**)sts cont as follows:

**Next row (WS):** Knit to end.

**Next and every RS row:** Purl.

**Next WS row:** Cast off 6 sts, k to end.

19(**21:22:23:25:27:29:30**)sts

**Next WS row:** Cast off 4 sts, k to end.

15(**17:18:19:21:23:25:26**)sts

**Next WS row:** K2tog, k to end. 14(**16:17:18:20:22:24:25**)sts

Without further shaping, work straight in pattern until armhole measures 18(**18:19:19:20:20:21:22**)cm, 7(**7:7.5:7.5:8:8.25:8.75**)in from beg of armhole shaping ending on a **WS** row.

Cast off on **RS** purlwise.

### Shape right front neck and shoulder

With **RS** facing, slip next 16(**16:16:18:18:18:20**) sts onto a holder, rejoin yarn to rem 25(**27:28:29:31:33:35:36**)sts and patt to end.

**Next and every WS row:** Purl.

**Next RS row:** Cast off 6 sts, patt to end.

19(**21:22:23:25:27:29:30**)sts

**Next RS row:** Cast off 4 sts, patt to end.

15(**17:18:19:21:23:25:26**)sts

**Next RS row:** Work 2 tog in patt, patt to end.

14(**16:17:18:20:22:24:25**)sts

Without further shaping, work straight in pattern until armhole measures 18(**18:19:19:20:20:21:22**)cm,

7(**7:7.5:7.5:8:8.25:8.75**)in from beg of armhole shaping ending on a **RS** row.

Cast off on **WS** knitwise.

### SLEEVES (both alike)

Using 4mm (US 6) needles, cast on 42(**42:46:46:50:50:54:58**)sts  
Work as for Back from \*\* to \*\*.

Inc 1 st at each end of next and every foll

10(**10:10:10:10:12:12:12**)th row a further 14 times more.

72(**72:76:76:80:80:84:88**)sts

Cont without shaping until work measures

43(**43:45.5:45.5:48.5:51:51:52**)cm, (17[**17:18:18:19:20:20:20.5**]in) ending with **RS** facing for next row.

### Armhole and sleeve head shaping

Keeping Moss St pattern correct.

Cast off 8(**8:8:8:9:9:10:10**)sts at beg of next 2 rows.

56(**56:60:60:62:62:64:68**)sts

Cast off 2 sts at beg of next 2 rows. 52(**52:56:56:58:58:60:64**)sts

Dec 1 st at each end of next 2 alt rows.

48(**48:52:52:54:54:56:60**)sts

Work **WS** row.

Dec 1 st at each end of next row. 46(**46:50:50:52:52:54:58**)sts

Work 3 rows ending with **RS** facing.

Repeat these last 4 rows 6 times more.

34(**34:38:38:40:40:42:46**)sts

Dec 1 st at each end of next 4 rows. 26(**26:30:30:32:32:34:38**)sts

Cast off 2 st at beg of next 4 rows. 18(**18:22:22:24:24:26:30**)sts

Cast off 3(**3:4:4:5:5:5:6**)sts at beg of next 2 rows.

12(**12:14:14:14:14:16:18**)sts

Cast off.

### MAKING UP

Sew left shoulder seam and work Neckband as follows:

Using 4mm (US 6) needles, re-join yarn and knit

38(**38:38:40:40:40:40:42**) sts left on a holder for back neck,

pick up and knit 15(**15:17:17:19:20:22:23**) sts down left

front neck, knit 16(**16:16:18:18:18:20**) sts from front neck

holder, pick up and knit 15(**15:17:17:19:20:22:23**) sts, evenly

up right front neck. 84(**84:88:92:96:98:102:108**) sts.

Now work rib as follows:

**Row 1 (WS):** (P1, k1) to end

Rep last row 5 times more.

Cast off in rib.

Block garment pieces using preferred method.

Sew right shoulder. Join centre of sleeve head cast offs

to shoulder seams and neatly ease sleeve head into

armholes. Sew side and sleeve seams using mattress stitch.

Fasten off any loose ends.



# WEST YORKSHIRE SPINNERS

## DISCLAIMER

Please note that all quantities in this pattern are based on average usage and therefore are approximate. We cannot accept responsibility for the finished garment if any other yarn than the one specified is used.

Although every effort has been made to ensure that instructions are correct, West Yorkshire Spinners cannot accept any liabilities. Owing to photography and printing restrictions the colour reproduction is matched as closely as possible to the yarn.

---

## JOIN THE CONVERSATION



DBP0026



UNIT 2, AIREDALE PARK, ROYD INGS AVENUE, KEIGHLEY, WEST YORKSHIRE BD21 4DG  
(0)1535 664500 [SALES@WYSPINNERS.COM](mailto:SALES@WYSPINNERS.COM) [WYSPINNERS.COM](http://WYSPINNERS.COM)